

DSM-5 Substance Use Diagnosis		Examples	ICD-10 Code *For billing purposes
*Required to include DSM-5 diagnosis on Service Request Form			
Severity Levels			
- Mild = Presence of 2-3 DSM criteria symptoms			
- Moderate = Presence of 4-5 DSM criteria symptoms			
- Severe = Presence of 6 or more DSM criteria symptoms			
Opioid Use Disorder	MILD	Heroin, Hydrocodone (<i>Norco, Vicodin</i>), Oxycodone (<i>OxyContin, Percocet</i>), Morphine, Hydromorphone (<i>Dilaudid</i>), Codeine (cough syrup), Meperidine (<i>Demerol</i>), Fentanyl , etc.	F11.10
	MODERATE		F11.20
	SEVERE		F11.20
Alcohol Use Disorder	MILD	Beer, liquor , etc.	F10.10
	MODERATE		F10.20
	SEVERE		F10.20
Cannabis Use Disorder	MILD	Marijuana and marijuana-related products	F12.10
	MODERATE		F12.20
	SEVERE		F12.20
Stimulant Use Disorder- Amphetamine-Type Substance	MILD	Methamphetamine (crystal meth, crank, speed, tweek, glass, etc.)	F15.10
	MODERATE		F15.20
	SEVERE		F15.20
Stimulant Use Disorder- Cocaine	MILD	Cocaine (coke, blow, snow, etc.)	F14.10
	MODERATE		F14.20
	SEVERE		F14.20
Sedative, Hypnotic, or Anxiolytic Use Disorder	MILD	Benzodiazepines (Xanax [alprazolam], Ativan [lorazepam], Valium [diazepam], Klonopin [clonazepam]) Barbiturates (Pentobarbital, Secobarbital, etc.) Z-drugs (Ambien [zolpidem], Lunesta [eszopiclone], Sonata [zaleplon], Imrest [zopiclone], etc.)	F13.10
	MODERATE		F13.20
	SEVERE		F13.20
Other Hallucinogen Use Disorder	MILD	LSD (acid), Ecstasy (MDMA), Ketamine , magic mushrooms (Psilocybin), Peyote (Mescaline), etc.	F16.10
	MODERATE		F16.20
	SEVERE		F16.20
Stimulant Use Disorder- Other or Unspecified Stimulant	MILD	Ritalin (methylphenidate), Adderall (dextroamphetamine/ amphetamine), Vyvanse (lisdexamfetamine), etc.	F15.10
	MODERATE		F15.20
	SEVERE		F15.20
Phencyclidine (PCP) Use Disorder	MILD	PCP (phencyclidine)	F16.10
	MODERATE		F16.20
	SEVERE		F16.20
Inhalant Use Disorder	MILD	Glues, spray cans, etc.	F18.10
	MODERATE		F18.20
	SEVERE		F18.20